

Land west of Cross Road, Deal – Letter of Reliance Schedule

| Firm | Document | Date | Consultant Details |
|----------------------------------|--|-------------|--|
| FPCR | Location Plan 7572-L-10 | Jun 21 | Keith Nye Keith.nye@fpcr.co.uk |
| | Landscape and Visual Appraisal – Rev A | Nov 21 | |
| | Development Framework Plan 7572-L-12 Rev E | Mar 21 | |
| | Green Infrastructure Vision Document Rev B | Mar 22 | |
| | Ecological Appraisal Rev A | Nov 21 | |
| | Arboricultural Assessment | Nov 21 | |
| Croft | Potential Site Access Plan 2243-F10 | Mar 21 | Phil Wooliscroft Phil.wooliscroft@eddisons.com |
| | Transport Assessment 2243 Issue 2 | Jul 21 | |
| | Residential Travel Plan 2243 Issue 1 | Jun 21 | |
| | Technical Note | Feb 22 | |
| | Technical Note | Aug 22 | |
| | Technical Note | Dec 22 | |
| RSK (LDE) & RSK (GEO) | Preliminary Risk Assessment 52285-R01(00) | Jun 21 | Colin Whittingham cwhittingham@rsk.co.uk Haydn Keen HKeen@rsk.co.uk |
| | Flood Risk Assessment & Outline Surface Water Drainage Strategy 680074-R1(01)-FRA | Oct 21 | |
| | Letter to Dover District Council 680074 L01 SW | 4 Mar 22 | |
| | Letter to Dover District Council 680074-L1(00)-FRA | 4 Jul 22 | |
| | Letter to Southern Water 1922493 L01 (00) | 14 Dec 22 | |
| | Hydrogeological Appraisal | Dec 22 | |

| | | | |
|--------------------------|---|--------|---|
| | 1922493-R01(03) | | |
| Wardell Armstrong | Air Quality Assessment GM11782 002 V0.1 | Jul 21 | Mark Dawson mdawson@wardell-armstrong.com |
| | Noise Assessment Report GM11782 0002 V1.0 | Nov 21 | |
| Pegasus | Heritage Desk-Based Assessment Version 2 | Oct 21 | Gail Stoten Gail.stoten@pegasusgroup.co.uk |
| GDL | Biodiversity Net Gain Assessment 2021-001 | Dec 22 | Tom Johnson |
| | Topographical Survey 2016-127 Topo_02_2D Rev 0 | Jan 17 | |
| | | | |
| | | | |
| | | | |
| | | | |