

Contact Details

Groundsure Helpline

Telephone: 08444 159 000 info@groundsure.com



LOCATION INTELLIGENCE

Geological Survey

NATURAL ENVIRONMENT RESEARCH COUNCIL

British Geological Survey Enquiries

Kingsley Dunham Centre Keyworth, Nottingham NG12 5GG Tel: 0115 936 3143. Fax: 0115 936 3276. Email:

Web:www.bgs.ac.uk

BGS Geological Hazards Reports and general geological enquiries:

enquiries@bgs.ac.uk

Environment Agency

National Customer Contact Centre, PO Box 544 Rotherham, S60 1BY Tel: 03708 506 506

Web: www.environment-agency.gov.uk Email: enquiries@environment-agency.gov.uk

Public Health England

Public information access office Public Health England, Wellington House 133-155 Waterloo Road, London, SE1 8UG www.gov.uk/phe

Email:enquiries@phe.gov.uk Main switchboard: 020 7654 8000



British

Public Health England

The Coal Authority

200 Lichfield Lane Mansfield Notts NG18 4RG Tel: 0345 7626 848 DX 716176 Mansfield 5

www.coal.gov.uk



Ordnance Survey

Adanac Drive, Southampton SO16 0AS Tel: 08456 050505



Local Authority

Authority: Medway Council
Phone: 01634 306 000
Web: http://www.medway.gov.uk/
Address: Gun Wharf, Dock Road, Chatham, Kent, ME4 4TR

Gemapping PLC

Virginia Villas, High Street, Hartley Witney, Hampshire RG27 8NW Tel: 01252 845444





Acknowledgements: Site of Special Scientific Interest, National Nature Reserve, Ramsar Site, Special Protection Area, Special Area of Conservation data is provided by, and used with the permission of, Natural England/Natural Resources Wales who retain the Copyright and Intellectual Property Rights for the data.

PointX © Database Right/Copyright, Thomson Directories Limited © Copyright Link Interchange Network Limited © Database Right/Copyright and Ordnance Survey © Crown Copyright and/or Database Right. All Rights Reserved. Licence Number [03421028]. This report has been prepared in accordance with the Groundsure Ltd standard Terms and Conditions of business for work of this nature.



Standard Terms and Conditions

Groundsure's Terms and Conditions can be viewed online at this link:

https://www.groundsure.com/terms-and-conditions-may25-2018



Geo Insight

Address: LAND OFF SHAWSTEAD ROAD/ NORTH DANE WAY, HALE, KENT,

ME5 7PH

Date: 30 Aug 2018

Reference: HMD-137-5366556

Client: Southern Testing Laboratories Ltd HQ

NW NE



SW SE

Aerial Photograph Capture date: 14-Apr-2015 Grid Reference: 577510,165191

Site Size: 47.99ha



Contents Page

Contents Page	3
Overview of Findings	5
1:10,000 Scale Availability	8
Availability of 1:10,000 Scale Geology Mapping	9
1 Geology (1:10,000 scale)	
1.1 Artificial Ground map (1:10,000 scale)	
1. Geology 1:10,000 scale.	
1.1 Artificial Ground	
1.2 Superficial Deposits and Landslips map (1:10,000 scale)	
1.2 Superficial Deposits and Landslips	
1.2.1 Superficial Deposits/ Drift Geology	
1.2.2 Landslip	
1.3 Bedrock and linear features map (1:10,000 scale)	
1.3 Bedrock and linear features	
1.3.1 Bedrock/ Solid Geology	
2 Geology 1:50,000 Scale	
2.1 Artificial Ground map	
2. Geology 1:50,000 scale.	
2.1 Artificial Ground	
2.1.1 Artificial/ Made Ground	
2.1.2 Permeability of Artificial Ground	
2.2 Superficial Deposits and Landslips map (1:50,000 scale)	18
2.2 Superficial Deposits and Landslips	
2.2.1 Superficial Deposits/ Drift Geology	
2.2.2 Permeability of Superficial Ground	
2.2.4 Landslip Permeability	
2.3 Bedrock and linear features map (1:50,000 scale)	
2.3 Bedrock, Solid Geology & linear features	22
2.3.1 Bedrock/Solid Geology	
2.3.2 Permeability of Bedrock Ground	
3 Radon Data	
3.1 Radon Affected Areas	
3.2 Radon Protection	
4 Ground Workings map	
4 Ground Workings	
4.1 Historical Surface Ground Working Features derived from Historical Mapping4.2 Historical Underground Working Features derived from Historical Mapping	
4.3 Current Ground Workings	
5 Mining, Extraction & Natural Cavities	
5.1 Historical Mining	
5.3 Johnson Poole and Bloomer	
5.4 Non-Coal Mining	
5.5 Non-Coal Mining Cavities	
5.6 Natural Cavities	
5.7 Brine Extraction	
5.8 Gypsum Extraction	
5.9 Tin Mining	
5.10 Clay Mining	
6 Natural Ground Subsidence	
6.1 Shrink-Swell Clay map	
6.2 Landslides map	
6.3 Ground Dissolution of Soluble Rocks map.	
6.4 Compressible Deposits map	
6.5 Collapsible Deposits map	
6.6 Running Sand map	



6 Natural Ground Subsidence	41
6.1 Shrink-Swell Clays	41
6.2 Landslides	42
6.3 Ground Dissolution of Soluble Rocks	45
6.4 Compressible Deposits	
6.5 Collapsible Deposits	46
6.5 Collapsible Deposits	47
7 Borehole Records	49
8 Estimated Background Soil Chemistry	50
9 Railways and Tunnels map	52
9 Railways and Tunnels	
9.1 Tunnels	53
9.2 Historical Railway and Tunnel Features	53
9.3 Historical Railways	54
9.4 Active Railways	54
9.5 Railway Projects	



Overview of Findings

The Groundsure Geo Insight provides high quality geo-environmental information that allows geo-environmental professionals and their clients to make informed decisions and be forewarned of potential ground instability problems that may affect the ground investigation, foundation design and possibly remediation options that could lead to possible additional costs.

The report is based on the BGS 1:50,000 and 1:10,000 Digital Geological Map of Great Britain, BGS Geosure data; BRITPITS database; Non-coal mining data and Borehole Records, Coal Authority data including brine extraction areas, PBA non-coal mining and natural cavities database, Johnson Poole and Bloomer mining data and Groundsure's unique database including historical surface ground and underground workings.

For further details on each dataset, please refer to each individual section in the report as listed. Where the database has been searched a numerical result will be recorded. Where the database has not been searched '-' will be recorded.

1.1 Artificial Ground	1.1 Is there any Artificial Ground/ Made Ground present beneath the study site at 1:10,000 scale?	No
1.2 Superficial Geology and Landslips	1.2.1 Is there any Superficial Ground/Drift Geology present beneath the study site at 1:10,000 scale?*	No
	1.2.2 Are there any records of landslip within 500m of the study site boundary at 1:10,000 scale?	No
1.3 Bedrock, Solid Geology and linear	1.3.1 For records of Bedrock and Solid Geology beneath the study site* see the detailed findings section.	
features	1.3.2 Are there any records of linear features within 500m of the study site boundary at 1:10,000 scale?	No
Section 2: Geolo	gy 1:50,000 Scale	
Section 2: Geolo 2.1 Artificial Ground		No
	2.1.1 Is there any Artificial Ground/ Made Ground present beneath	No No
2.1 Artificial Ground 2.2 Superficial Geology and	2.1.1 Is there any Artificial Ground/ Made Ground present beneath the study site? 2.1.2 Are there any records relating to permeability of artificial	
2.1 Artificial Ground 2.2 Superficial Geology and	2.1.1 Is there any Artificial Ground/ Made Ground present beneath the study site? 2.1.2 Are there any records relating to permeability of artificial ground within the study site*boundary? 2.2.1 Is there any Superficial Ground/Drift Geology present beneath	No
	2.1.1 Is there any Artificial Ground/ Made Ground present beneath the study site? 2.1.2 Are there any records relating to permeability of artificial ground within the study site*boundary? 2.2.1 Is there any Superficial Ground/Drift Geology present beneath the study site?* 2.2.2 Are there any records of permeability of superficial ground	No Yes




					LOCATION IN	HELLIGENCE
Section 2: Geolo	gy 1:50,000 Scale					
2.3 Bedrock, Solid Geology and linear features	2.3.1 For records of Bedrock and Solid Geolo site* see the detailed findings section.	gy beneath ti	he study			
	2.3.2 Are there any records relating to perm- ground within the study site boundary?	eability of bed	drock		Yes	
	2.3.3 Are there any records of linear features study site boundary?	s within 500m	of the		No	
Section 3: Rador	า					
3. Radon	3.1Is the property in a Radon Affected Area a Protection Agency (HPA) and if so what perc above the Action Level?			Area, as betw	ty is in a Rado een 1 and 3% ove the Actior	of properties
	3.2Radon Protection			No radon į	protective me necessary.	asures are
Section 4: Groun	nd Workings	On-site	0-50m	51-250	251-500	501-1000
4.1 Historical Surface Scale Mapping	ce Ground Working Features from Small	9	12	34	Not Searched	Not Searched
4.2 Historical Under	ground Workings from Small Scale Mapping	0	0	0	0	6
4.3 Current Ground	Workings	0	0	2	5	17
Section 5: Minin	g, Extraction & Natural Cavities	On-site	0-50m	51-250	251-500	501-1000
5.1 Historical Mining	9	0	0	0	0	6
5.2 Coal Mining		0	0	0	0	0
5.3 Johnson Poole a	and Bloomer Mining Area	0	0	0	0	0
5.4 Non-Coal Mining	g*	2	0	0	3	6
5.5 Non-Coal Minin	g Cavities	0	0	0	1	6
5.5 Natural Cavities		0	0	0	2	0



				LOCATION IN	TELLIGENCE
Section 5: Mining, Extraction & Natural Cavities	On-site	0-50m	51-250	251-500	501-1000
5.6 Brine Extraction	0	0	0	0	0
5.7 Gypsum Extraction	0	0	0	0	0
5.8 Tin Mining	0	0	0	0	0
5.9 Clay Mining	0	0	0	0	0
Section 6: Natural Ground Subsidence	On-sit	te			
6.1 Shrink-Swell Clay	Low				
6.2 Landslides	Modera	ite			
6.3 Ground Dissolution of Soluble Rocks	High				
6.4 Compressible Deposits	Negligik	ole			
6.5 Collapsible Deposits	Very Lo	ow .			
6.5 Running Sand	Very Lo	ow .			
Section 7: Borehole Records	On-si	te	0-50m	5	1-250
7 BGS Recorded Boreholes	1		8		3
Section 8: Estimated Background Soil Chemistry	On-si	te	0-50m	5	1-250
8 Records of Background Soil Chemistry	27		11		0
Section 9: Railways and Tunnels	On-site	0-50m	51-250	250-500	
9.1 Tunnels	0	0	0	Not Searched	
9.2 Historical Railway and Tunnel Features	0	0	12	Not Searched	
9.3 Historical Railways	0	0	0	Not Searched	
9.4 Active Railways	0	0	0	Not Searched	
9.5 Railway Projects	0	0	0	0	



1:10,000 Scale Availability





Availability of 1:10,000 Scale Geology Mapping

The following information represents the availability of the key components of the 1:10,000 scale geological data.

ID	Distance	Artificial Coverage	Superficial Coverage	Bedrock Coverage	Mass Movement Coverage
1	0.0	No deposits are mapped	No coverage	No coverage	No coverage

Guidance: The 1:10,000 scale geological interpretation is the most detailed generally available from BGS and is the scale at which most geological surveying is carried out in the field. The database is presented as four types of geology (artificial, mass movement, superficial and bedrock), although not all themes are mapped or available on every map sheet. Therefore a coverage layer showing the availability of the four themes is presented above.


The definitions of coverage are as follows:

Geology	Full Coverage	Partial Coverage	No Coverage
Bedrock	The whole tile has been mapped	Some but not all the tile has been mapped	No coverage
Superficial	The whole tile has been mapped	Some but not all of the tile has been mapped	No coverage
Artificial	Some deposits are mapped on this tile	-	No deposits are mapped
Mass Movement	Some deposits are mapped on this tile	-	No coverage



1 Geology (1:10,000 scale).

1.1 Artificial Ground map (1:10,000 scale)





1. Geology 1:10,000 scale

1.1 Artificial Ground


The following geological information represented on the mapping is derived from 1:10,000 scale BGS Geological mapping.

Are there any records of Artificial/ Made Ground within 500m of the study site boundary at 1:10,000 scale? No

Database searched and no data found.



1.2 Superficial Deposits and Landslips map (1:10,000 scale)



Site Outline

500 Search Buffers (m)



1.2 Superficial Deposits and Landslips

The following geological information represented on the mapping is derived from 1:10,000 scale BGS Geological mapping

1.2.1 Superficial Deposits/ Drift Geology

Are there any records of Superficial Deposits/ Drift Geology within 500m of the study site boundary at 1:10,000 scale?

Database searched and no data found.

1.2.2 Landslip

Are there any records of Landslip within 500m of the study site boundary at 1:10,000 scale?

No


Database searched and no data found.

The geology map for the site and surrounding area are extracted from the BGS Digital Geological Map of Great Britain at 1:10,000 scale

This Geology shows the main components as discrete layers, these are: Artificial / Made Ground, Superficial / Drift Geology and Landslips. These are all displayed with the BGS Lexicon code for the rock unit and BGS sheet number. Not all of the main geological components have nationwide coverage.



1.3 Bedrock and linear features map (1:10,000 scale)



Bedrock and linear features Legend

© Crown copyright and database rights 2018. Ordnance Survey licence 100035207.

Site Outline

Search Buffers (m)



1.3 Bedrock and linear features

The following geological information represented on the mapping is derived from 1:10,000 scale BGS Geological mapping.

1.3.1 Bedrock/ Solid Geology

Records of Bedrock/Solid Geology within 500m of the study site boundary at 1:10,000 scale.

Database searched and no data found at this scale.

1.3.2 Linear features

Are there any records of linear features within 500m of the study site boundary at 1:10,000 scale?

No


Database searched and no data found at this scale.

The geology map for the site and surrounding area are extracted from the BGS Digital Geological Map of great Britain at 1:10,000 scale.


This Geology shows the main components as discrete layers, these are: Bedrock/ Solid Geology and linear features such as faults. These are all displayed with the BGS Lexicon code for the rock unit and BGS sheet number. Not all of the main geological components have nationwide coverage.



2 Geology 1:50,000 Scale2.1 Artificial Ground map



© Crown copyright and database rights 2018. Ordnance Survey licence 100035207.





2. Geology 1:50,000 scale

2.1 Artificial Ground

The following geological information represented on the mapping is derived from 1:50,000 scale BGS Geological mapping, Sheet No: 272

2.1.1 Artificial/ Made Ground

Are there any records of Artificial/ Made Ground within 500m of the study site boundary?

No

Database searched and no data found.

2.1.2 Permeability of Artificial Ground


Are there any records relating to permeability of artificial ground within the study site boundary?

No

Database searched and no data found.



2.2 Superficial Deposits and Landslips map (1:50,000 scale)



© Crown copyright and database rights 2018. Ordnance Survey licence 100035207.

Site Outline

500 Search Buffers (m)



2.2 Superficial Deposits and Landslips

2.2.1 Superficial Deposits/ Drift Geology

Are there any records of Superficial Deposits/ Drift Geology within 500m of the study site boundary? Yes

ID	Distance	Direction	LEX Code	Description	Rock Description
1	0.0	On Site	CWF-XCZSV	CLAY-WITH-FLINTS FORMATION	CLAY, SILT, SAND AND GRAVEL
2	0.0	On Site	HEAD-XCZSV	HEAD	CLAY, SILT, SAND AND GRAVEL
3	62.0	NE	HEAD-XCZ	HEAD	CLAY AND SILT
4	122.0	SE	HEAD-XCZSV	HEAD	CLAY, SILT, SAND AND GRAVEL
5	326.0	NW	HEAD-XCZSV	HEAD	CLAY, SILT, SAND AND GRAVEL

2.2.2 Permeability of Superficial Ground

Are there any records relating to permeability of superficial ground within the study site boundary? Y

Distance (m)	Direction	Flow Type	Maximum Permeability	Minimum Permeability
0.0	On Site	Mixed	High	Very Low
0.0	On Site	Mixed	High	Very Low
0.0	On Site	Mixed	High	Very Low
0.0	On Site	Mixed	High	Very Low

2.2.3 Landslip

Are there any records of Landslip within 500m of the study site boundary?

No

Database searched and no data found.

The geology map for the site and surrounding area are extracted from the BGS Digital Geological Map of Great Britain at 1:50,000 scale.

This Geology shows the main components as discrete layers, there are: Artificial/ Made Ground, Superficial/ Drift Geology and Landslips. These are all displayed with the BGS Lexicon code for the rock unit and BGS sheet number. Not all of the main geological components have nationwide coverage.



2.2.4 Landslip Permeability

Are there any records relating to permeability of landslips within the study site boundary?

No

Database searched and no data found.